





ABS Wedge Installation Instructions For California Model # 2410


1. Install the pier per Home Manufacturer Instructions and/or Authority having jurisdiction.
2. Center the pair of OTI ABS Wedges on an OTI Cap Board or other approved capping material. When the wedges are used as an I-Beam mainframe support, the long dimension of the wedges shall be placed perpendicular to the I-Beam mainframe. When they are used with a perimeter pier, install the wedges with the long dimension parallel to the perimeter rail.
3. Drive the OTI ABS Wedges tight by hitting the exposed (flat) side of the wedge with a hammer as needed.
4. The OTI ABS Wedges are designed with a saw tooth (serrated) surface to lock together at the desired height without working loose over time.



CENTER WEDGES EVENLY
(SIDE to SIDE, FRONT to BACK)




HAMMER EACH SIDE EVENLY



SERRATED SURFACE

NOTES:

- A: The OTI ABS Wedges are always to be used in pairs
- B: For removal of the OTI ABS Wedges, place a hydraulic jack on a level surface next to the pier. Raise the I-Beam slightly and either remove or reset wedges; then carefully release the jack.
- C: The Maximum height of the pair of the OTI ABS Wedges is not to exceed 1".
- D: Vertical load capacity is 6,600 lbs.



ENGINEER APPROVAL

MOBILEHOME & ACCESSORY STRUCTURE BUILDING COMPONENT
HEALTH AND SAFETY CODE, DIVISION 13, PART 2
APPROVED
SUBJECT TO CORRECTIONS NOTED
Approval does not authorize or approve any omission or deviation
from requirements of applicable State laws and regulations.

STATE OF CALIFORNIA
DEPARTMENT OF HOUSING AND COMMUNITY DEVELOPMENT
DIVISION OF CODES AND STANDARDS

By *Shidwell* Date 2/15/11
(signature)

BP NO. 13-01


This Approval Expires 4/9/13

STATE APPROVAL

0.125"
0.1:0"
TYP.



3.5"



6"



0.946"

ABS WEDGE
Model #2410
Drawing #AIT-06-09

Testing Company:
American Industrial Testing
Listing # AIT-06-1009

OLIVER TECHNOLOGIES, INC
467 Swan Avenue
Hohenwald, TN 38462
800-284-7437

JAN 18 2011



HCD → BP13-012/15/11 *etc*